



MODELS Type G6 **Smooth end caps** **(Mounting brackets: see accessories)**

Lamps	Output	Lumen	Length in mm	Order no. 24 V AC	Order no. 230 V AC
Dulux	18 W	1,200	502	SMG62418D	SMG62318D
	24 W	1,800	604	SMG62424D	SMG62324D
	36 W	2,900	697	SMG62436D	SMG62336D
	55 W	4,800	822	SMG62455D	SMG62355D
Linear	30 W	2,350	1,203	SMG62430L	SMG62330L
	36 W	3,250	1,488	SMG62436L	SMG62336L
	58 W	5,000	1,787	SMG62458L	SMG62358L



MODELS Type W6 **End caps with integrated mounting angle:**

Lamps	Output	Lumen	Length in mm	Order no. 24 V AC	Order no. 230 V AC
Dulux	18 W	1,200	530	SMW62418D	SMW62318D
	24 W	1,800	632	SMW62424D	SMW62324D
	36 W	2,900	725	SMW62436D	SMW62336D
	55 W	4,800	850	SMW62455D	SMW62355D
Linear	30 W	2,350	1,250	SMW62430L	SMW62330L
	36 W	3,250	1,543	SMW62436L	SMW62336L
	58 W	5,000	1,842	SMW62458L	SMW62358L

– other models on request / subject to modifications and errors –



MODELS Type G6 **Smooth end caps** **(Mounting brackets: see accessories)**

Lamps	Output	Lumen	Length in mm	Order no. 24 V AC	Order no. 230 V AC
Dulux	18 W	1,200	502	SBG62418D	SBG62318D
	24 W	1,800	604	SBG62424D	SBG62324D
	36 W	2,900	697	SBG62436D	SBG62336D
	55 W	4,800	822	SBG62455D	SBG62355D
Linear	30 W	2,350	1,203	SBG62430L	SBG62330L
	36 W	3,250	1,488	SBG62436L	SBG62336L
	58 W	5,000	1,787	SBG62458L	SBG62358L



MODELS Type W6 **End caps with integrated mounting angle**

Lamps	Output	Lumen	Length in mm	Order no. 24 V AC	Order no. 230 V AC
Dulux	18 W	1,200	530	SBW62418D	SBW62318D
	24 W	1,800	632	SBW62424D	SBW62324D
	36 W	2,900	725	SBW62436D	SBW62336D
	55 W	4,800	850	SBW62455D	SBW62355D
Linear	30 W	2,350	1,250	SBW62430L	SBW62330L
	36 W	3,250	1,543	SBW62436L	SBW62336L
	58 W	5,000	1,842	SBW62458L	SBW62358L



MODELS Type G5 **Smooth end caps** **(Mounting brackets: see accessories)**

Lamps	Output	Lumen	Length in mm	Order no. 24 V AC	Order no. 230 V AC
Dulux	18 W	1.200	460	SPG52418D	SPG52318D
	24 W	1.800	560	SPG52424D	SPG52324D
	36 W	2.900	650	SPG52436D	SPG52336D
	55 W	4.800	775	SPG52455D	SPG52355D
Linear	30 W	2.350	1.200	SPG52430L	SPG52330L
	36 W	3.250	1.480	SPG52436L	SPG52336L
	58 W	5.000	1.780	SPG52458L	SPG52358L

SPECIAL FEATURES:

- IP67 – dust- and watertight
- low-loss electronic ballast unit
- Linear or Dulux compact fluorescent tubes
- ♦ SAFETY also when used in extremely wet areas
- ♦ COST SAVINGS
- ♦ homogeneous light – daylight similar

– other models on request / subject to modifications and errors –