ELSPRO LED Tent Lamps SLZ Product Series
Ø 70 mm polycarbonate



MODELS IN | **IP44** | **IP44** | **IP54:**

Lamps	Output	Lumen LED panel	Length in mm	Weight in kg	Cable with plug	Order no. 24 V AC*	Order no. 42 V AC*	Order no. 230 V AC
LED panel	23 W	3,000	750	2.55	5 m	**SLZ2423/5/01**	**SLZ4223/5/01**	**SLZ2323/5/01**
				3.30	10 m	**SLZ2423/10/01**	**SLZ4223/10/01**	**SLZ2323/10/01**
LED panel	46 W	6,000	1,310	3.55	5 m	**SLZ2446/5/01**	**SLZ4246/5/01**	**SLZ2346/5/01**
				4.30	10 m	**SLZ2446/10/01**	**SLZ4246/10/01**	**SLZ2346/10/01**

MODELS IN IP67:

Lamps	Output	Lumen LED panel	Length in mm	Weight in kg	Cable with plug	Order no. 230 V AC
LED panel	23 W	3,000	750	2.55	5 m	**SLZ2323/5/01DWD**
				3.30	10 m	**SLZ2323/10/01DWD**
LED panel	46 W	6,000	1,310	3.55	5 m	**SLZ2346/5/01DWD**
				4.30	10 m	**SLZ2346/10/01DWD**



– other models on request / subject to modifications and errors –

ELSPRO Elektrotechnik GmbH & Co. KG
Kleinhülsen 47 · 40721 Hilden · Germany
+49 (0) 21 03 / 97 10 - 45
+49 (0) 21 03 / 97 10 - 80
sales@elspro.de
www.elspro.de/en/

ELSPRO LED Tent Lamps SLZ Product Series
Ø 70 mm polycarbonate

SPECIAL FEATURES:

• protective polycarbonate tube with two rubber cuffs	→ impact-resistant and protected
• plastic end caps with integrated plug and/or integrated cable plug system	→ simple modular structure
• large number of lamps possible in series connection	→ optimal SOLUTIONS, depending on the site of operation and lighting needs
• low heat development	→ no burns if touched SAFETY
• 230 V: IP 54 – splash-resistant and/or IP 67 – waterproof	→ can also be used in outdoor areas
• full illumination intensity when first turned on, also in the case of low temperatures	→ immediately usable



Retaining clamps

ACCESSORIES :	Order no.
• plastic retaining clamps for wall or ceiling mounting	**SLZ001**
• plastic retaining clamps with magnet	**SLZ002**
• metal retaining clamps with magnet	**SLZ003**



Rubber expander hanging

• metal retaining clamps with strap hanging	**SLZ004**
• metal retaining clamps with rubber expander hanging	**SLZ005**


Soft binder

Soft binder 340.0 x 11.0 mm
(re-openable cable bundling system
for fixing extra cable) — **SOFTBINDER340**

– other models on request / subject to modifications and errors –

ELSPRO LED Tent Lamps SLZ Product Series with emergency light function



MODELS:

Lamps	Output	Luminous flux LED panel	Protection class	Cable with plug	Output	Length	Weight	Order no. 230 V AC
LED panel	33 W	3,450 lm	IP 65	5 m	- without -	965 mm	3.1 kg	**SLZN2333/5**
				10 m			4.1 kg	**SLZN2333/10**
			IP 54	5 m	1 earthing contact	1,030 mm	3.3 kg	**SLZN2333/5/01**
				10 m			4.3 kg	**SLZN2333/10/01**




– other models on request / subject to modifications and errors –

ELSPRO Elektrotechnik GmbH & Co. KG
Kleinhülsen 47 · 40721 Hilden · Germany
+49 (0) 21 03 / 97 10 - 45
+49 (0) 21 03 / 97 10 - 80
sales@elspro.de
www.elspro.de/en/

ELSPRO LED Tent Lamps SLZ Product Series with emergency light function

SPECIAL FEATURES:

- protective polycarbonate tube with two rubber cuffs → impact-resistant and protected
- plastic end caps with integrated plug and/or integrated cable plug system → simple modular structure
- large number of lamps possible in series connection → optimal SOLUTIONS, depending on the site of operation and lighting needs
- low heat development → no burns if touched SAFETY
- IP 54 - protected against dust / splashing water, or IP 65 - dust-tight / protected against water jets → can also be used in outdoor areas
- full illumination intensity when first turned on, also in the case of low temperatures → immediately usable
- emergency light function → additional lighting in case of power failure max. 120 minutes



Retaining clamps

ACCESSORIES :	Order no.
• plastic retaining clamps for wall or ceiling mounting	**SLZ001**
• plastic retaining clamps with magnet	**SLZ002**
• metal retaining clamps with magnet	**SLZ003**



Rubber expander hanging

• metal retaining clamps with strap hanging	**SLZ004**
• metal retaining clamps with rubber expander hanging	**SLZ005**


Soft binder

Soft binder 340.0 x 11.0 mm (re-openable cable bundling system for fixing extra cable)	**SOFTBINDER340**

– other models on request / subject to modifications and errors –